Journal of Clinical Pharmacy and Therapeutics

Editors

A. Li Wan Po and M. J. Kendall

Volume 29
2004

Blackwell
Publishing

© 2004 Blackwell Publishing

Blackwell Publishing Ltd: 9600 Garsington Road, Oxford OX4 2DQ, UK
Blackwell Publishing, Inc.: Commerce Place, 350 Main Street, Malden, Massachusetts 02148-5018, USA
Blackwell Publishing Asia: 550 Swanston Street, Carlton South, Victoria 3053, Australia
Blackwell Verlag: Kurfürstendamm 58, 10707 Berlin, Germany
Blackwell Munksgaard: 1 Rosenørns Allé, PO Box 227, DK-1502 Copenhagen V, Denmark
Blackwell Publishing Japan/Blackwell Publishing Asia, Tokyo Office: 5F, GS Chiyoda Building, 3-11-14 Iidabashi, Chiyoda-ku, Tokyo 102-0072, Japan
Blackwell Publishing Professional: 2121 State Avenue, Ames, IA 50014-8300, USA

All rights reserved. With the exception of fair dealing for the purposes of research or private study, or criticism or review, no part of this publication may be reproduced, stored or transmitted in any form or by any means without the prior permission in writing from the copyright holder. Authorization to photocopy items for internal and personal use is granted by the copyright holder for libraries and other users of the Copyright Clearance Center (CCC), 222 Rosewood Drive, Danvers, MA 01923, USA (www.copyright.com), provided the appropriate fee is paid directly to the CCC. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale.

ISSN 0269–4727

Typeset by SPS (Chennai), India
Printed in Singapore

CONTENTS

NUMBER 1

Original Articles

1 Effects of levothyroxine suppressive therapy on bone mineral density in premenopausal women: *B. Larijani, F. Gharibdoost, M. Pajouhi, A. Sadjadi, S. Aghakhani, R. Eshraghian, S. M. Akrami and G. Maalouf*

7 Permeability studies of alkylamides and caffeic acid conjugates from echinacea using a Caco-2 cell monolayer model: *A. Matthias, J. T. Blanchfield, K. G. Penman, I. Toth, C.-S. Lang, J. J. De Voss and R. P. Lehmann*

15 Undertreatment of congestive heart failure in an Australian setting: *P. J. Boyles, G. M. Peterson, M. D. Bleasel and J. H. Vial*

23 Impact of pharmacist-conducted home visits on the outcomes of lipid-lowering drug therapy: *G. M. Peterson, K. D. Fitzmaurice, M. Naunton, J. H. Vial, K. Stewart and H. Krum*

31 Adverse drug reaction teaching in UK undergraduate medical and pharmacy programmes: *A. R. Cox, J. F. Marriott, K. A. Wilson and R. E. Ferner*

37 *Andrographis paniculata* in the symptomatic treatment of uncomplicated upper respiratory tract infection: systematic review of randomized controlled trials: *N. Poolsup, C. Suthisisang, S. Prathanturarug, A. Asawamekin and U. Chanchareon*

47 A simple and rapid genotyping method for beta-2 receptor (β2 AR) gene using allele specific multiplex PCR: *S. M. N. Romaino, L. K. Teh, B. A. Zilfalil, C. P. Thong, A. A. Ismail, J. Amir, M. Z. Salleh, A. R. Noor and R. Ismail*

53 Monitoring trough plasma concentrations of mycophenolate mofetil in patients with uveitis: *F. Llinares-Tello, C. Hernández-Prats, C. Muñoz-Ruiz, J. Selva-Otaolaurruchi and J. P. Ordovás-Baines*

59 Longer than recommended empiric antibiotic treatment of urinary tract infection in women: an avoidable waste of money: *N. R. Kahan, D. P. Chinitz and E. Kahan*

65 Evaluation of once daily tobramycin dosing in critically ill patients through Bayesian simulation: *J. F. Peris-Marti, J. Borras-Blasco, J. D. Rosique-Robles and M. Gonzalez-Delgado*

71 Hormonal changes with cholesterol reduction: a double-blind pilot study: *T. Ormiston, O. M. Wolkowitz, V. I. Reus, R. Johnson and F. Manfredi*

75 Efficacy of a standardized echinacea preparation (Echinilin™) for the treatment of the common cold: a randomized, double-blind, placebo-controlled trial: *V. Goel, R. Lovlin, R. Barton, M. R. Lyon, R. Bauer, T. D. G. Lee and T. K. Basu*

Research Note

85 Use of health-related quality of life in prescribing research. Part 2: methodological considerations for the assessment of health-related quality of life in clinical trials: *M. J. Calvert and N. Freemantle*

NUMBER 2

Review Article

95 Gefitinib, a novel, orally administered agent for the treatment of cancer: *M. Ranson and S. Wardell*

Original Articles

105 Nonparametric population modeling of valproate pharmacokinetics in epileptic patients using routine serum monitoring data: implications for dosage: *I. B. Bondareva, R. W. Jelliffe, A. V. Sokolov and I. F. Tischenkova*

121 Evaluation of clinical pharmacist interventions on drug interactions in outpatient pharmaceutical HIV-care: *M. M. R. de Maat, A. de Boer, C. H. W. Koks, J. W. Mulder, P. L. Meenhorst, E. C. M. van Gorp, A. T. A. Mairuhu, A. D. R. Huitema and J. H. Beijnen*

131 Patterns of lamotrigine use in daily clinical practice during the first 5years after introduction in the Netherlands: *P. D. Knoester, S. V. Belitser, C. L. P. Deckers, A. Keyser, W. O. Renier, A. C. G. Egberts and Y. A. Hekster*

139 Efficacy of theophylline compared to methylphenidate for the treatment of attention-deficit hyperactivity disorder in children and adolescents: a pilot double-blind randomized trial: *M. R. Mohammadi, L. Kashani, S. Akhondzadeh, E. S. Izadian and S. Ohadinia*

145 Cyproheptadine in the treatment of autistic disorder: a double-blind placebo-controlled trial: *S. Akhondzadeh, S. Erfani, M. R. Mohammadi, M. Tehrani-Doost, H. Amini, S. S. Gudarzi and M. T. Yasamy*

151 Influence of thyroxine on serum soluble interleukin-2 receptor alpha levels in thyroid disorders: *K. Żwirska-Korczala, A. Berdowska, J. Jochem, A. Sitkiewicz, E. Birkner, R. Polaniak, H. Jędrzejowska-Szypułka and I. Korzonek-Szlacheta*

157 Effect of atorvastatin on impaired vascular function in healthy old men: *A. W. E. Weverling-Rijnsburger, G. J. Blauw and A. E. Meinders*

165 Spironolactone use in patients with heart failure: *J. M. Trujillo, M. J. Gonyeau, M. V. DiVall and S. L. Alexander*

171 Identification and evaluation of a possible signal of exacerbation of colitis during rofecoxib treatment, using Prescription-Event Monitoring data: *D. Layton, E. Heeley and S. A. W. Shakir*

183 Concomitant use of buffered and enteric-coated low-dose aspirin products and antisecretory drugs: *M. Takada, K. Fukumoto and M. Shibakawa*

NUMBER 3

Commentary

189 Impact of inadequately controlled asthma: a need for targeted therapy?: *P. D. Mehlhop and K. Blake*

Review Articles

195 Use of exogenous erythropoietin in critically ill patients: *R. MacLaren, J. Gasper, R. Jung and R. W. Vandivier*

209 Do statins slow down Alzheimer's disease? A review: *J. Caballero and M. Nahata*

Original Articles

215 Systematic review of the analgesic efficacy and tolerability of COX-2 inhibitors in post-operative pain control: *L.-C. Chen, R. A. Elliott and D. M. Ashcroft*

231 Appropriate antibiotic utilization in seniors prior to hospitalization for community-acquired pneumonia is associated with decreased in-hospital mortality: *D. Johnson, K. C. Carriere, Y. Jin and T. Marrie*

241 Herbal medicines: predictors of recommendation by physicians: *Z. Aziz*

247 Population pharmacokinetic modeling of steady state clearance of carbamazepine and its epoxide metabolite from sparse routine clinical data: *Z. Jiao, X.-J. Shi, Z.-G. Zhao and M.-K. Zhong*

257 A HRG-based costing model for estimating pharmacy costs associated with surgical procedures: *C. Scullin, M. G. Scott, M. Gribbin and J. C. McElnay*

263 Testing the practical aspects of therapeutics by objective structured clinical examination: *N. J. Langford, M. Landray, U. Martin, M. J. Kendall and R. E. Ferner*

267 Influence of high-dose leucovorin and 5-fluorouracil chemotherapy regimen on P wave duration and dispersion: *C. Ceyhan, N. Meydan, S. Barutca, T. Tekten, A. O. Onbası, B. Ozturk, S. Unal and İ. Bayrak*

273 Glucose self-monitoring in primary care: a survey of current practice: *D. Stewart, D. McCaig, A. Davie, L. Juroszek, L. Blackwood, N. Findlay and S. McCarthy*

279 G-protein coupled receptors: SAR analyses of neurotransmitters and antagonists: *C. L. Kuo, R. B. Wang, L. J. Shen, L. L. Lien and E. J. Lien*

NUMBER 4

Commentary

299 Cardiac arrest: a role for vasopressin: *A. M. A. Shehab and M. J. Kendall*

Original Articles

307 A simple and rapid high-performance liquid chromatographic (HPLC) method for 5-fluorouracil (5-FU) assay in plasma and possible detection of patients with impaired dihydropyrimidine dehydrogenase (DPD) activity: *J. Ciccolini, C. Mercier, M.-F. Blachon, R. Favre, A. Durand and B. Lacarelle*

317 Repeatability of measurements of the initial distribution volume of glucose in haemodynamically stable patients: *B. O. Rose, H. Ishihara, H. Okawa, B. Panning, S. Piepenbrock and A. Matsuki*

325 Epoetin in haemodialysis patients: impact of change from subcutaneous to intravenous routes of administration: *B. Decaudin, V. Lemaitre, S. Gautier and M.-A. Urbina*

331 The quality of essential antimicrobial and antimalarial drugs marketed in Rwanda and Tanzania: influence of tropical storage conditions on *in vitro* dissolution: *P. C. Kayumba, P. G. Risha, D. Shewiyo, A. Msami, G. Masuki, D. Ameye, G. Vergote, J. D. Ntawukuliryayo, J. P. Remon and C. Vervaet*

339 Developing the Medication Change Questionnaire: *C. Paterson, L. Symons, N. Britten and J. Bargh*

351 High dose vancomycin for osteomyelitis: continuous vs. intermittent infusion: *A. Vuagnat, R. Stern, A. Lotthe, H. Schuhmacher, M. Duong, P. Hoffmeyer and L. Bernard*

359 A retrospective drug utilization evaluation of vancomycin usage in paediatric patients: *W. C. Hing, S. J. Bek, R. T. P. Lin and S. C. Li*

367 Stabilization of a freeze-dried recombinant streptokinase formulation without serum albumin: *M. López, L. R. González, N. Reyes, J. Sotolongo and V. Pujol*

375 Comparing the fixed combination dorzolamide–timolol (Cosopt®) to concomitant administration of 2% dorzolamide (Trusopt®) and 05% timolol – a randomized controlled trial and a replacement study: *B. A. Francis, L. T. Du, S. Berke, M. Ehrenhaus and D. S. Minckler*

381 Determination of ciprofloxacin concentrations in human serum and urine by HPLC with ultraviolet and fluorescence detection: *K. M. Sowinski and M. B. Kays*

389 Determinats of prescribing patterns for type II diabetes at Primary Care Trust level: *D. C. E. F. Lyoyd and G. Scrivener*

NUMBER 5

Original Articles

395 RNA-mediated gene silencing: mechanisms and its therapeutic applications: *N. K. Verma and C. S. Dey*

405 Quality of life and attitudes towards psychotropics and dependency: consumers vs. non-consumers aged 50 and over: *M. Baumann, F. Bonnetain, S. Briançon and F. Alla*

417 Beliefs of chronically ill Japanese patients that lead to intentional non-adherence to medication: *N. Iihara, T. Tsukamoto, S. Morita, C. Miyoshi, K. Takabatake and Y. Kurosaki*

425 Diltiazem use in tacrolimus-treated renal transplant recipients: *J. Kothari, M. Nash, J. Zaltzman and G. V. Ramesh Prasad*

431 Pamidronate increases bone mineral density in women with postmenopausal or steroid-induced osteoporosis: *E. Cauza, M. Etemad, F. Winkler, H. Hanusch-Enserer, G. Partsch, H. Noske and A. Dunky*

437 Empiric treatment of uncomplicated UTI in women: wasting money when more is not better: *N. R. Kahan, D. P. Chinitz, D. A. Waitman and E. Kahan*

443 Isoniazid acetylation phenotyping in Saudi Arabs: *K. M. Matar, A. Y. Mayet, E. A. Ayoola, S. A. Bawazir, F. Z. Al-Faleh and A. Al-Wazzan*

449 Do risk factors for lactic acidosis influence dosing of metformin?: *S. Millican, N. Cottrell and B. Green*

455 Population pharmacokinetic modelling of tramadol with application of the NPEM algorithms: *S. H. Gan, R. Ismail, W. A. Wan Adnan, W. Zulmi and R. W. Jelliffe*

465 Community pharmacy treatment of minor ailments in refugees: *H. Parmentier, S. Golding, M. Ashworth and G. Rowland*

471 Initiation of atypical antipsychotic agents and health outcomes in patients with schizophrenia: *X. S. Ren, A. F. Lee, Y.-H. Huang, A. Hamed, L. Herz, D. R. Miller and L. E. Kazis*

Case Reports

483 Vardenafil-induced generalized urticaria: *P. L. Minciullo, A. Saija, M. Patafi, L. Giannetto, G. Marotta, B. Ferlazzo and S. Gangemi*

485 Unusual hypersensitivity to warfarin in a critically ill patient: *H. Konishi, Y. Eguchi, M. Fujii, T. Saotome, T. Sasaki, K. Takahashi, M. Sudo, H. Morii, T. Minouchi and A. Yamaji*

NUMBER 6

COMMENTARY

491 BANs to rINNS: *A. R. Cox and N. J. Langford*

Review Article

497 Selection of glycoprotein IIb/IIIa inhibitors for upstream use in patients with diabetes experiencing unstable angina or non-ST segment elevation myocardial infarction. What have we learned in the last 10 years?: *M. A. Silva and P. J. Gandhi*

Original Articles

511 Pharmacokinetics of gabapentin in paediatric patients with uncontrolled seizures: *K. B. Tallian, M. C. Nahata, W. Lo and C.-Y. Tsao*

517 Restoration of flow following haemodialysis catheter thrombus. Analysis of rt-PA infusion in tunnelled dialysis catheters: *J. Davies, J. Casey, C. Li, A. V. Crowe and P. McClelland*

521 An assessment of dose-uniformity of samples delivered from paediatric oral droppers: *D. Brown, J. L. Ford, A. J. Nunn and P. H. Rowe*

531 Pharmaceutical care and community pharmacists' understanding of bisphosphonate dosing information: *W. W. Li and D. L. Kendler*

537 Prescribing patterns in high-need Health Authority populations: how does an ethnically mixed composition affect volume and cost?: *M. Hann, J. Cantrill, D. Baker and P. Gill*

547 Rational pharmacotherapy in the diabetic hypertension: analysis-prescribing patterns in a general hospital in Taiwan: *S. F. Cheng, H.-H. Hsu, H. S. Lee, C. S. Lin, Y. C. Chou and J. H. Tien*

559 Genetic polymorphism of CYP2D6 in patients with cardiovascular disease – a cohort study: *L. K. Teh, B. A. Zilfalil, I. Marina, B. S. Rosemi and R. Ismail*

565 Increased digitalis-like immunoreactive substances in neonatal plasma measured using fluorescence polarization immunoassay: *Y. Ijiri, T. Hayahi, T. Ogihara, K. Ohi, K. Suzuki, H. Tamai, Y. Kitaura, H. Takenaka and K. Tanaka*

573 Author and Keyword index